


Experience The Future Of Panel Wiring With Our Cutting Edge Field Terminal Assembly Fta Designed With Innovation In Mind Our Fta Simplifies The Connection Of Prefabricated Cables Directly To The Module Making Field Connections In Your Plant Seamless And Efficient



### General Information

Product Type	FTA (Field Terminal Assembly)
Hardware Functional Status	From July22

### Electrical Properties

Operating Voltage	$\leq 30V_{dc}$
Current Per Branch	1A
Current Terminal Block	5A

### Connection Data (Control Level)

Connection In Acc With Standard	IEC 60603-13
Connection Method	37 PIN,D-Sub Connector
Number Of Connection	1

### Connection Data (Field Level)

Connection Method	Screw Connection
Conductor Cross Section Rigid	0.2 mm <sup>2</sup> ... 4 mm <sup>2</sup>
Conductor Cross Section Flexible	0.2 mm <sup>2</sup> ... 2.5 mm <sup>2</sup>
Tightening Torque	0.5 Nm ... 0.6 Nm

Dimension	
Width	101.3 mm
Height	77 mm
Depth	57.57 mm

Material Specification	
Color	Green
Housing Insulation Material	PVC

Ambient Condition	
Degree Of Protection	IP00
Degree Of Protection (Installation Location)	≥ IP54
Ambient Temperature	-20 °C ... 70 °C
Altitude	≤ 2000 m

Mounting	
Mounting Type	Din rail Mounting
Mounting Position	Any